Vital Earth's®

Seabird Guano Liquid Bloom

2-5-0

Material Safety Data Sheet

I. PRODUCT NAME/TRADE NAME: Emergency Telephone Number:

Vital Earth's® Seabird Guano Liquid Bloom 503-493-2784

2-5-0 **Information Telephone Number:**

Sizes: 1 qt/0.9461 L, 1 gal/3.7843 L, 503-493-2784

2.5 gal./9.4607 L, 5 gal/18.921 L, Date Prepared:

250 gal/946.07 L 01/15/08

EPA REGISTRATION #: none

CHEMICAL NAME/COMMON NAME:

Organic Liquid Solution/Organic Liquid Grow

Solution

Is not a controlled product and is not covered

WHIMIS Classification of Product: under Hazardous Product Act and WHIMIS.

Fertilizer (Natural)

Product use:

II. HAZARDOUS INGREDIENTS

Ingredient CAS # LD50 LC50 OSHA PEL ACGIH

TLV

NA	NA	NA	NA	NE	NE
III. PHYSICAL/CHI	EMICAL CHA	RACTE	RISTICS		
Boiling Point:	NE		Specific Gravity		
			(H2O=1):		1.2
Vapor Pressure					
(mmHg):	NA		Melting Point:		NA
Vapor Density			Freezing Point:		NA
(Air = 1):	NE				
			Evaporation Rate	9	
% Volatiles by vol.:	NE		(Butyl Acetate +	1):	NA
Solubility in Water:	Soluble/Great	ter than 95	5% Density:]	NA
A	. D 1:: 1		1.		
Appearance and Odor		, sweet iis	n		
	odor				
Flash Point/Method:	NA				
Trash Tollit/Wichlor.	1471				
pH:	6.5-7.5				
IV. FIRE AND EXP	LOSION HAZ	ARD DA	TA		
Flash point			Flammable Limits	s: Т	This material is slightly
(Method Used):	NA			c	combustible due to
				r	esidual protein. Direct
Extinguishing Media:				f	lame results in short

Water, Carbon Dioxide,		lived sustained flame.
Dry Chemicals		Dust explosion
		conditions unknown.
		Use water to extinguish.
Dioxides from fire		
	LEL:	NA
NA	UEL:	NA
	Conditions of	
NA	Flammability:	NA
NA		
Treat as class A. Fight		
fire upwind. Wear		
courses. Evacuate		
	Dry Chemicals Dioxides from fire NA NA NA Treat as class A. Fight fire upwind. Wear positive pressure selfcontained breathing apparatus and full protective equipment Do not breathe smoke or spray mist. Avoid fallout and runoff. Dike to prevent entering drains, sewers, or water	Dioxides from fire LEL: NA UEL: Conditions of NA Flammability: NA Treat as class A. Fight fire upwind. Wear positive pressure self- contained breathing apparatus and full protective equipment Do not breathe smoke or spray mist. Avoid fallout and runoff. Dike to prevent entering drains, sewers, or water

fire.			
Unusual Fire and			
Explosion Hazards:			
Avoid production of an			
extremely dusty air	extremely dusty air		
space in areas of local			
burning or electrical			
sparking.			
V. REACTIVITY DATA			
Chemical Stability:	Stable		
Incompatibility (Products to Avoid):	Fire, Water		
Hazardous Decomposition or Byproducts:	COx, SOx		
Hazardous Polymerization:	Will Not Occur		
Condition to Avoid:	Exposure to heat and acid		
Reactivity, and under what conditions:	NA		
VI. TOXICOLOGICAL PROPERTIES/HEA	ALTH HAZARD DATA		
Route(s) of Entry			
Skin:	Wear proper personal protective equipment to		
	reduce skin exposure.		

people downwind from

Ingestion:	Do not ingest. Wash hands and face thoroughly before eating, drinking or smoking.		
Inhalation:	Wear proper respiratory protection for the exposures encountered.		
Eye Contact:	Can cause eye irritation. Wear proper eye protection to reduce exposure. If contact occurs, flush eyes with water for a minimum of 15 minutes.		
Health Hazard (Acute of Chronic):	NA		
Carcinogenicity:	IARC monographs NTP OSHA None Known None Known None Known		
Signs and Symptoms of Exposure:	NA		
Irritancy of product:	NA		
Sensitization to Product:	NA		
Teratogenicity:	None		
Reproductive Toxicity:	None		

Mutagenecity:	None
Synergistic Products:	None
VII. PRECAUTION FOR SAFE HANDLI	NG AND USE
Personal Protective Equipment	
Respiratory:	When dust is present, use a NIOSH/MSHA
	approved half- or a full-face respirator with a
	High Efficiency Particle Aerosol (HEPA)
	cartridge
Skin:	Wear proper personal protective equipment to
	reduce skin exposure.
Eyes:	Use appropriate eye protection e.g.: goggles, to
	minimize contact with dust.
Other:	Wear sturdy work clothing and footwear for the
	specific application.
Environmental Hazards:	Dike area to prevent entering drains, sewers or
	water courses.
Engineering controls:	In restricted spaces, use effective ventilation,
	e.g. Local Air Ventilation. Do not permit
	excessive accumulation of dust in work areas.

Best practice is to clean up with a vacuum equipped with a HEPA filter.

Steps to	be taken	in case	material	is released	or
spilled:					

If uncontaminated, collect for reuse or disposal.

Use a clean up system which does not create

dust, e.g. a vacuum equipped with a HEPA

filter. If contaminated or not required for reuse,

dispose in approved landfill in accordance with

local regulations.

Waste Disposal Method:

If uncontaminated, dispose as a non-metallic mineral. If contaminated, use appropriate method for containment with applicable local regulation(s).

Precaution to be taken in handling and storing: Product should be kept in a dry place. Avoid creation of respirable dust if possible. Protect workers as above. Use effective ventilation and dust collection. Avoid eye and skin contact with wet product during use.

Special shipping information:

NA

VIII. CONTROL/FIRST AID MEASURES/HEALTH PRECAUTION DATA

Respirator Protections:

Use only NIOSH/MSHA - approved respiratory protection for nuisance particles up to 10 times

the PEL/TLV. Positive pressure self-contained breathing apparatus should be used for confined space entry and high exposures above the nuisance particulate PEL/TLV.

Ventilation: Local exhaust/general ventilation to control nuisance dust.

Protective/Work Gloves: Rubber, latex, vinyl, or other impervious gloves recommended

Eye Protection: Safety Goggles or glasses with side shields and brow protection Recommended.

Other Protective Clothing or Equipment: Not required

Work / Hygienic Practices: Wash to remove dust after use

Eyes: Flush with tempered water for at least 20

minutes. Obtain medical attention

Skin: Wash with soap and water. For caustic burns to

skin consult a doctor.

Ingestion: Drink large amounts of water. Do not induce

vomiting. Seek immediate medical attention.

Gross inhalation of dust:	Remove victim to fresh air and administer CPR
	if necessary.

IX. SPECIAL PRECAUTIONS

Keep out of reach of children. Do not wash down storm or sanitary sewer system. Read and follow all label instructions.

X. REGUL	ATORY DATA		
SARA HAZ	ARD CLASS:	Acute	
SARA 313:		NO	
SARA 302:		NO	
	TPQ:		
CERCLA:		NO	
	RQ:		
RCRA:		NO	
NFPA HAZ	ARD RATING:	NFPA HAZARD R	ATING SCALE:
Health:	[1]	0 = Minimal	3 = Serious
Fire:	[2]	1 = Slight	4 = Severe
Reactivity:	[0]	2 = Moderate	
Special:	[]		
HMIS COD	ES:	HMIS HAZARD RA	TING SCALE:

Health: [1] 0 = Minimal 3 = Serious

Fire: [2] 1 = Slight 4 = Severe

Reactivity: [0] 2 = Moderate

FDA: NA CPSC: NA

USDA: NA TSCA: NA

DOT: Non-Regulated Hazard Class: None

Proper Shipping Name: Organic solid

XI. PREPARATION DATE OF MSDS

Prepared by: Conscious Earthworks, LLC

Phone: 503-493-2784

Date: 01/15/08

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate as of the effective date given above, CONSCIOUS EARTHWORKS, LLC makes no representations as to its accuracy or sufficiency. Conditions of use are beyond CONSCIOUS EARTHWORKS' LLC control. Therefore, users are responsible for determining whether under their own operating conditions the product is suitable for their particular use. Users assume all risks of use, handling, and disposal of the product. The publication, use of, or reliance upon information contained herein does not relate to the use of this product in combination with any other material or in any other process.

Furthermore, CONSCIOUS EARTHWORKS' LLC products are sold subject to the following LIMITATION OF LIABILITY AND DISCLAIMER

LIMITATION OF LIABILITY AND DISCLAIMER:

NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS AND/OR GENERALLY ACCEPTED APPLICATION PROCEDURES AND PRECAUTIONS. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF LIABILITY OF

CONSCIOUS EARTHWORKS, LLC FOR ANY LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE REFUND OF THE PURCHASE PRICE. CONSCIOUS EARTHWORKS, LLC, EXPRESSLY EXCLUDES AND DISCLAIMS ANY WARRANTIES OF FITNESS FOR ANY PARTICULAR PURPOSE OR USE.